

LIST OF CONTENTS

VOLUME 30, NUMBER 1

1992

Contents

Regular Articles

- | | | |
|--|-----|--|
| K. J. Hüttinger and
J. P. Wang | 1 | Kinetics of mesophase formation in a stirred tank reactor and properties of the products—II. Discontinuous reactor |
| K. J. Hüttinger and
J. P. Wang | 9 | Kinetics of mesophase formation in a stirred tank reactor and properties of the products—III. Continuous reactor |
| H. J. Cousins,
P. J. Gardner, and
S. J. Matthews | 17 | Microcalorimetric studies of solution adsorption by activated carbons |
| G. Q. Lu and
D. D. Do | 21 | A kinetic study of coal reject-derived char activation with CO ₂ , H ₂ O, and air |
| F. Ehrburger-Dolle and
S. Misono | 31 | Characterization of the morphology of rubber grade carbon blacks by thermoporometry |
| M. J. Sellés-Pérez and
J. M. Martín-Martínez | 41 | Application of the α_s method to adsorption isotherms of argon and <i>n</i> -butane |
| D. B. Murphy and
R. W. Carroll | 47 | Kinetics and mechanism of carbon film deposition by acetylene pyrolysis |
| I. Mochida,
K. Shimizu,
Y. Korai,
Y. Sakai,
S. Fujiyama,
H. Toshima, and
T. Hono | 55 | Mesophase pitch catalytically prepared from anthracene with HF/BJ ₃ |
| J. Jagiełło,
T. J. Bandoz, and
J. A. Schwarz | 63 | Application of inverse gas chromatography at infinite dilution to study the effects of oxidation of activated carbons |
| M. I. Heggie | 71 | Interstitial string model for defective graphites |
| S. Wang | 75 | Desulfurizing agent derived from coal |
| J. Economy,
H. Jung, and
T. Gogeva | 81 | A one-step process for fabrication of carbon-carbon composites |
| G. A. Jablonski,
F. W. Geurts,
A. Sacco, Jr., and
R. R. Biederman | 87 | Carbon deposition over Fe, Ni, and Co foils from CO—H ₂ —CH ₄ —CO ₂ —H ₂ O, CO—CO ₂ , CH ₄ —H ₂ , and CO—H ₂ —H ₂ O gas mixtures: I. Morphology |
| G. A. Jablonski,
F. W. A. H. Geurts, and
A. Sacco, Jr. | 99 | Carbon deposition over Fe, Ni, and Co foils from CO—H ₂ —CH ₄ —CO ₂ —H ₂ O, CO—CO ₂ , CH ₄ —H ₂ , and CO—H ₂ —H ₂ O gas mixtures: II. Kinetics |
| E. Utrera-Hidalgo,
C. Moreno-Castilla,
J. Rivera-Utrilla,
M. A. Ferro-García, and
F. Carrasco-Marín | 107 | Activated carbon columns as adsorbents of gallic acid from aqueous solutions: Effect of the presence of different electrolytes |

**W. Pinghua,
L. Jie,
Y. Zhongren, and
L. Rengyuan**

- 113 Thermal oxidative stabilization of polyacrylonitrile precursor fiber—Progression of morphological structure and mechanical properties

Letters to the Editor

**K. Esumi,
H. Sugii,
D. Tateishi, and
H. Honda**

- 121 Preparation of carbon microbeads containing fine platinum particles form 'aqua-mesophase'

**S. S. Barton,
M. J. B. Evans, and
J. A. MacDonald**

- 123 An equation describing water vapour absorption on porous carbon

**T. Masuda,
S. R. Mukai, and
K. Hashimoto**

- 124 The production of long vapor grown carbon fibers at high growth rates

- 126 Carbon Calendar

- I Software Survey Section

Contents

- 127 Editorial

Regular Articles

P. Glogar

- 129 Factor analysis of physical properties of electrode graphite

**N. Petrov,
T. Budinova, and
I. Khavesov**

- 135 Adsorption of the ions of zinc, cadmium, copper, and lead on oxidized anthracite

**M. Born,
S. Starke, and
A. Seichter**

- 141 Elastic behavior of electrode cokes and relaxation of press strains

**T. Nishizawa and
M. Sakata**

- 147 Fused state ^{13}C -NMR study on molecular orientation in a carbonaceous mesophase

J. Jortner

- 153 Microstructure of cloth-reinforced carbon-carbon laminates

**T. Ida,
K. Akada,
T. Okura,
M. Miyake, and
M. Nomura**

- 165 Carbonization of methylene-bridged aromatic oligomers

**C. R. Hall and
R. J. Holmes**

- 173 The preparation and properties of some activated carbons modified by treatment with phosgene or chlorine

**B.-W. Chun,
C. R. Davis,
Q. He, and
R. R. Gustafson**

- 177 Development of surface acidity during electrochemical treatment of pan-carbon fibers

**P. McAllister and
E. E. Wolf**

- 189 Ni-catalyzed carbon infiltration of carbon-fiber substrates

P. J. M. Carrott	201	Adsorption of water vapor by non-porous carbons
M. Ohira, M. Inagaki, and Z. D. Wang	207	Intercalation process in the ternary system of FeCl_3 - NiCl_2 -KCl
Yu. P. Kudryavtsev, S. E. Evsyukov, V. G. Babaev, M. B. Guseva, V. V. Khvostov, and L. M. Krechko	213	Oriented carbyne layers
J. Fiang and F. Beck	223	Thermodynamic data for anodic solid state graphite oxidation products in 96% sulphuric acid
I. M. K. Ismail and S. L. Rodgers	229	Comparisons between fullerene and forms of well-known carbons
I. Mochida, Y. Q. Fei, K. Sakanishi, Y. Korai, H. Usuba, and K. Miura	241	Carbonization of coal tar pitch denitrogenated by metal sulfates
C. R. Choe, K. H. Lee, and B. I. Yoon	247	Effect of processing parameters on the mechanical properties of carbonized phenolic resin
L. Daozhi, L. Guoxiang, H. Shifen, and W. Huafu	251	X-ray diffraction and Raman scattering studies of HClO_4 -graphite intercalation compounds
M. Murakami, N. Nishiki, K. Nakamura, J. Ehara, H. Okada, T. Kouzaki, K. Watanabe, T. Hoshi, and S. Yoshimura	255	High-quality and highly oriented graphite block from polycondensation polymer films
J. B. Donnet, S. J. Park, and M. Brendle	263	The effect of microwave plasma treatment on the surface energy of graphite as measured by inverse gas chromatography
H. Jaeger, V. W. Maslen, and A. McL. Mathieson	269	An analysis of electron diffraction patterns of thin vapour-grown carbon filaments
P. Chitrapu, C. R. F. Lund, and J. A. Tsamopoulos	285	A model for the catalytic growth of carbon filaments
R. E. Zielinski and D. T. Grow	295	An iron catalyst for CVD of methane on carbon fibers

Letters to the Editor

G. S. Rellick and R. J. Zaldivar	301	In situ fiber strength in carbon-carbon composites
H. Hatori, Y. Yamada, and M. Shiraishi	303	Preparation of macroporous carbon film from polyimide by phase inversion method
H. Hatori, Y. Yamada, M. Shiraishi, H. Nakata, and S. Yoshitomi	305	Carbon molecular sieve films from polyimide
	306	Carbon Calendar
	I	Software Survey Section

*Contents**20th Biennial Carbon Conference*

J. Lahaye	307	Editorial: Awards presented at 20th biennial carbon conference
W. P. Hoffman	309	Particulate carbon from the gas phase
Y. Hishiyama, A. Yoshida, Y. Kaburagi, and M. Inagaki	315	Scanning probe microscopy of carbon fiber surfaces
S. Ragan and G. T. Emmerson	333	Graphite films prepared from carbonized polyimide films
J. R. Gaier, M. L. Lake, A. Moinuddin, and M. Marabito	339	The effect of heat-treatment temperature upon the properties of matrix-inhibited carbon-carbon composites
J. G. Lavin	345	Properties of hybrid CVD/PAN graphite fibers and their bromine intercalation compounds
G. B. Neighbour, B. McEnaney, and M. Phillips	351	Chemical reactions in the stabilization of mesophase pitch-based carbon fiber
T. Cordero, P. A. Thrower, and L. R. Radovic	359	Acoustic emission responses from cyclic loading of a nuclear graphite
A. M. Mastral, M. T. Izquierdo, B. Rubio, and C. Mayoral	365	On the oxidation resistance of carbon-carbon composites obtained by chemical vapor infiltration of different carbon cloths
B. T. Kelly	375	From coal to char
	379	Irradiation creep in graphite—some new considerations and observations

W. F. Rahhal and W. V. Kotlensky	385	Modified short-beam shear test
D. Mang, H. P. Boehm, K. Stanczyk, and H. Marsh	391	Inhibiting effect of incorporated nitrogen on the oxidation of microcrystalline carbons
G. G. Tibbetts	399	Growing carbon fibers with a linearly increasing temperature sweep: experiments and modeling
R. A. Greinke	407	Chemical bond formed in thermally polymerized petroleum pitch
F. W. A. H. Geurts and A. Sacco, Jr.	415	The relative rates of the boudouard reaction and hydrogenation of CO over Fe and Co foils
I. M. K. Ismail and W. C. Hurley	419	Modelling carbon fibers oxidation in air at constant heating rates
K. Kawamura, M. Ono, and K. Okazaki	429	Silicon carbide/carbon composite sheets derived from PCS/coal-tar pitch mixtures

Regular Articles

M. G. Dunham and D. D. Edie	435	Model of stabilization for PAN-based carbon fiber precursor bundles
D. Grove, III and A. S. Abhiraman	451	A mathematical model of solid-state thermo-oxidative stabilization of acrylic fibers
A. Sakanishi, Y. Korai, I. Mochida, K. Yanagida, M. Noda, I. Thunori, and K. Tate	459	Comparative study of isotropic and mesophase pitches derived from C9 alkylbenzenes
K. T. Kim, J. S. Chung, K. H. Lee, Y. G. Kim, and J. Y. Sung	467	Preparation of carbon-supported platinum catalysts: Adsorption mechanism of anionic platinum precursor onto carbon support
M. Ohira, M. Inagaki, and N. Nakagomi	477	Synthesis and local analysis of ternary $\text{FeCl}_3\text{-PbCl}_2$ -graphite intercalation compounds
Y. Hishiyama and Y. Kaburagi	483	Electrical resistivity of highly crystallized kish graphite
N. Martin, G. N. Ogden, J. W. Patrick, and A. Walker	487	Binder/filler interfaces in anode carbon: their classification, development, and effects
H. Vincent, C. Vincent, J. P. Scharff, H. Mourichoux, and J. Bouix	495	Thermodynamic and experimental conditions for the fabrication of a boron carbide layer on high-modulus carbon fiber surfaces by RCVD

VIII

LIST OF CONTENTS

**J. Jagiello,
P. Sanghani,
T. J. Bandoz, and
J. A. Schwarz**

- 507 Thermodynamic study of high-pressure adsorption of methane on activated carbons: the effect of oxidation on pore structure and adsorption energy heterogeneity

**T. Sogabe,
M. Inagaki, and
T. Ibuki**

- 513 Coating of graphite by polyimide and its gas permeability

Letter to the Editor

**Y. Hishiyama,
A. Yoshida,
Y. Kaburagi, and
M. Inagaki**

- 517 Formation of pores in carbonized polyimide film kapton by high temperature heat treatment

- 520 Announcement

- 520 Carbon Calendar

- I Software Survey Section

VOLUME 30, NUMBER 4

1992

Contents

Regular Articles

**E. Desimoni,
G. I. Casella, and
A. M. Salvi**

- 521 XPS/XAES study of carbon fibres during thermal annealing under UHV conditions

**E. Desimoni,
G. I. Casella,
A. M. Salvi,
T. R. I. Cataldi, and
A. Morone**

- 527 XPS investigation of ultra-high-vacuum storage effects on carbon fibre surfaces

**K. Lafdi,
S. Bonnamy, and
A. Oberlin**

- 533 Anisotropic pitch-based carbon fibers—carbonization and graphitization (radial-with-wedge I1 and radial I2 types)

**K. Lafdi,
S. Bonnamy, and
A. Oberlin**

- 551 Mechanism of formation of the texture and microtexture in as-spun then oxidized anisotropic pitch-based carbon fibers, Part I: Radial with wedge type I1

**K. Lafdi,
S. Bonnamy, and
A. Oberlin**

- 569 Mechanism of formation of the texture and microtexture in as-spun then oxidized anisotropic pitch-based carbon fibers, Part II: Radial type I2

**S. Stegenga,
M. van Waveren,
F. Kapteijn, and
J. A. Moulijn**

- 577 Stability of carbon-supported catalysts in an oxidizing environment

Mateo Milković	587	Test methods and measuring apparatus for measurement of the dynamic coefficient of friction of brushes
G. O. Wood	593	Activated carbon adsorption capacities for vapors
J. Laine and S. Yunes	601	Effect of the preparation method on the pore size distribution of activated carbons from coconut shell
S. N. Vyas, S. R. Patwardhan, and B. Gangadhar	605	Carbon molecular sieves from bituminous coal by controlled coke deposition
M. Legin-Kolar	613	Optical and crystallographic structure of pitch cokes
Y. Sawada and A. Shindo	619	Torsional properties of carbon fibers
L. J. Effler, J. F. Fellers, and B. K. Annis	631	Scanning tunneling microscopy and x-ray analyses on mesophase pitch-based carbon fibers
S. J. T. Pollard, C. J. Sollars, and R. Perry	639	A clay-carbon adsorbent derived from spent bleaching earth: surface characterisation and adsorption of chlorophenols from aqueous solution
T.-H. Ko, P. Chiranaairadul, C.-K. Lu, and C.-H. Lin	647	The effects of activation by carbon dioxide on the mechanical properties and structure of PAN-based activated carbon fibers
R. B. Mathur, O. P. Bahl, and J. Mittal	657	A new approach to thermal stabilisation of PAN fibres
E. A. Blekkan, R. Myrstad, O. Olsvik, and O. A. Rokstad	665	Characterization of tars and coke formed during the pyrolysis of methane in a tubular reactor
M. A. Wilson, L. S. K. Pang, G. D. Willett, K. J. Fisher, and I. G. Dance	675	Fullerenes—preparation, properties, and carbon chemistry
M. C. Mittelmeijer- Hazeleger and J. M. Martín-Martínez	695	Microporosity development by CO ₂ activation of an anthracite studied by physical adsorption of gases, mercury porosimetry, and scanning electron microscopy
<i>Letters to the Editor</i>		
R. J. Zaldivar, R. W. Kobayashi, G. S. Rellick, and J.-M. Yang	711	Boron migration in boron-doped carbon/carbon composites
M. Chesneau, F. Beguin, J. Conard, R. Erre, and J. Thebault	714	The antioxidation effect of boron oxide on a pyrocarbon
A. W. Morawski	716	In situ observation of potassium reaction with Fe-graphite

H. Hatori, Y. Yamada, M. Shiraishi, H. Nakata, and S. Yoshitomi	719 Carbon molecular sieve films from polyimide
	720 Carbon Calendar
	I Software Survey Section

VOLUME 30, NUMBER 5

1992

Contents

K. Gergova, A. Galushko, N. Petrov, and V. Minkova	721 Investigation of the porous structure of activated carbons prepared by pyrolysis of agricultural by-products in a stream of water vapor
D. P. Kim, Y. Suhng, and M. M. Labes	729 Mechanical properties of pyrolytic graphite flakes
Q-F. Zha, J.-L. Shi, Y. Ji, L. Liu, and S.-A. Qian	739 The effect of composition and process variables on the spinnability of mesophase pitch
P. Rebstein and F. Stoeckli	747 The physical and chemical characterization of a sulphur-impregnated active carbon, by combined adsorption and immersion techniques
J.-D. Nam and J. C. Seferis	751 Initial polymer degradation as a process in the manufacture of carbon-carbon composites
H. Hatori, Y. Yamada, and M. Shiraishi	763 In-plane orientation and graphitizability of polyimide films
K. Ito and A. Yachidate	767 Behavior of pertechnetate ion adsorption from aqueous solutions shown by activated carbons derived from different sources
H. Toshima, I. Mochida, Y. Korai, and T. Hino	773 Modification of petroleum-derived mesophase pitch by blending naphthalene-derived partially isotropic pitches
S.-H. Yoon, Y.-D. Park, and I. Mochida	781 Preparation of carbonaceous spheres from suspensions of pitch materials
J.-B. Donnet and R.-Y. Qin	787 Study of carbon fiber surfaces by scanning tunnelling microscopy, Part I. Carbon fibers from different precursors and after various heat treatment temperatures

- C. A. Leon y Leon,
J. M. Solar,
V. Calemma, and
L. R. Radovic 797 Evidence for the protonation of basal plane sites on carbon

Letters to the Editor

- J.B. Donnet and
E. Custodero 813 Ordered structures observed by scanning tunnelling microscopy at atomic scale on carbon black surfaces
- M. Narisawa,
M. Adachi, and
I. Souma 815 Changes in ultrasonic velocity in graphite after high temperature creep
- 817 Carbon calendar
- 818 Erratum
- I Software Survey Section

VOLUME 30, NUMBER 6

1992

Contents

- V. V. Avdeev,
L. A. Monyakina,
I. V. Nikol'skaya,
N. E. Sorokina, and
K. N. Semenenko 819 The choice of oxidizers for graphite hydrogenosulfate chemical synthesis
- V. V. Avdeev,
L. A. Monyakina,
I. V. Nikol'skaya,
N. E. Sorokina,
K. N. Semenenko, and
A. I. Finaenov 825 Chemical synthesis of graphite hydrogenosulfate: Calorimetry and potentiometry studies
- S. K. Verma and
P. L. Walker, Jr. 829 Preparation of carbon molecular sieves by propylene pyrolysis over microporous carbons
- S. K. Verma and
P. L. Walker, Jr. 837 Carbon molecular sieves with stable hydrophobic surfaces
- B. Kastelein,
R. D. van Bergen,
H. Postma,
H. C. Meijer, and
F. Mathu 845 Thermal conductance of highly oriented pyrolytic graphite along the *c*-direction at very low temperatures including magnetic field effects
- H. Fujimoto,
A. Mabuchi,
T. Maeda,
Y. Matsumura,
N. Watanabe, and
H. Touhara 851 New fluorine-carbon compound prepared by the direct fluorination of mesophase pitch
- M. Ishioka,
T. Okada,
K. Matsubara, and
M. Endo 859 Formation of vapor-grown carbon fibers in CO—CO₂—H₂ mixtures, I. Influence of carrier gas composition

- M. Ishioka,
T. Okada,
K. Matsubara, and
M. Endo** 865 Formation of vapor-grown carbon fibers in CO—CO₂—H₂ mixtures, II. Influence of catalyst
- M. Inagaki and
Z. D. Wang** 869 Host effect for intercalation of CuCl₂ in molten salt
- E. R. Trumbauer,
J. R. Hellmann, and
L. E. Jones** 873 Oriented microchannel membranes via oxidation of carbon-fiber-reinforced glass composites
- K. J. Hüttinger and
W. F. Merdes** 883 The carbon-steam reaction at elevated pressure: Formations of product gases and hydrogen inhibitions
- J. H. Marsh and
S. W. Orchard** 895 Voltammetric studies of glassy carbon electrodes activated in air and steam
- M. Inagaki,
M. Sato,
T. Takeichi,
A. Yoshida, and
Y. Hishiyama** 903 Effect of constraint during imidization of polyamic acid films on graphitizability of resultant carbon films
- J. B. Tomlinson and
C. R. Theocharis** 907 Studies of steam-activated viscose rayon chars
- P. N. Aukett,
N. Quirke,
S. Riddiford, and
S. R. Tennison** 913 Methane adsorption of microporous carbons—A comparison of experiment, theory, and simulation
- U. K. Vaidya,
P. K. Raju, and
W. Kowbel** 925 Material damping studies on carbon-carbon composites
- K. J. Hüttinger,
M. Bernhauer,
K. Christ, and
A. Gschwindt** 931 Kinetics of mesophase formation in a stirred tank reactor and properties of the products, IV: Carbon dioxide atmosphere
- Letters to the Editor*
- H.-S. Park,
D.-W. Kweon, and
J.-Y. Lee** 939 The effect of SiC codeposition on the structure and mechanical properties of carbon/carbon composites prepared by chemical vapor deposition
- D. Tateishi,
K. Esumi,
H. Honda, and
H. Oda** 942 Preparation of carbonaceous gel beads
- D. Tateishi,
K. Esumi, and
H. Honda** 944 Preparation of organo-carbonaceous gel
- K. Miura,
J. Hayashi, and
K. Hashimoto** 946 Production of molecular sieving carbons through co-carbonization of phenol-formaldehyde resin and other organic substances
- 948 Carbon calendar

Contents

L. Kepinski	949	Inhibiting effect of metal-support reaction on carbonization of Ni/SiO ₂ films
M. A. Kahn and Y. I. Khattak	957	Adsorption of copper from copper sulfate solution on carbon black "spheron 9"—II.
L. Guoxiang, L. Daozhi, and W. Huaifu	961	Stage characterization and homogeneity of sulfuric acid-graphite fiber intercalation compounds
J. K. Floess and Y. VanLishout	967	Calculation of adsorption energies in carbon micropores
M. Ishioka, T. Okada, and K. Matsubara	975	Formation and characteristics of vapor grown carbon fibers prepared in Linz-Donawitz converter gas
A. Deurbergue and A. Oberlin	981	TEM study of some recent high modulus PAN-based carbon fibers
T. Kato, K. Haruta, K. Kusakabe, and S. Morooka	989	Formation of vapor-grown carbon fibers on a substrate
D. Cazorla-Amorós, A. Linares-Solano, C. Salinas-Martínez de Lecea, T. Kyotani, H. Yamashita, and A. Tomita	995	Carbon gasification catalyzed by calcium: A high vacuum temperature programmed desorption study
F. Aune, W. Brockner, and H. A. Øye	1001	X-ray characterization of cathode carbon materials
G. O. Rubel	1007	Water isotherm measurements for microparticles of carbon
O. El-Shazly, A. I. Abou-Aly, N. A. Saad, and S. G. Tawfik	1013	Low-temperature electrical properties of a compressed natural graphite
Y. Korai and I. Mochida	1019	Molecular assembly of mesophase and isotropic pitches at their fused states
J. K. Floess, H. H. Kim, G. Edens, S. A. Oleksy, and J. Kwak	1025	Surface area and heat of adsorption measurements of a microporous carbon
E. R. Vorpagel and J. G. Lavin	1033	Most stable configurations of polynuclear aromatic hydrocarbon molecules in pitches via molecular modelling

T. Matsumoto and I. Mochida	1041	A structural study on oxidative stabilization of mesophase pitch fibers derived from coal tar
M. Futamata and T. Takeuchi	1047	Deterioration mechanism of the carbon-plastic electrode of the Zn-Br ₂ battery
Z. Weishauptová, J. Medek, and Z. Vaverková	1055	A change in the porous structure of coke between 1540°C and 2880°C
M. S. Dresselhaus, A. W. P. Fung, A. M. Rao, S. L. di Vittorio, K. Kuriyama, G. Dresselhaus, and M. Endo	1063	Introduction
K. Kaneko, C. Ishii, M. Ruike, and H. Kuwabara	1065	New characterization techniques for activated carbon fibers
M. Jagtoyen, M. Thwaites, J. Stencil, B. McEnaney, and F. Derbyshire	1075	Origin of superhigh surface area and microcrystalline graphitic structures of activated carbons
D. F. Quinn and J. A. MacDonald	1089	Adsorbent carbon synthesis from coals by phosphoric acid activation
P. Ehrburger, N. Pusset, and P. Dziedzic	1097	Natural gas storage
F. Rodríguez-Reinoso and M. Molina-Sabio	1105	Active surface area of microporous carbons
T. Nakajima and Y. Matsuo	1111	Activated carbons from lignocellulosic materials by chemical and/or physical activation: An overview
R. Ceolin, V. Agafonov, R. Moret, C. Fabre, A. Rassat, A. Dworkin, D. Andre, H. Szwarc, A. Schierbeek, P. Bernier, and A. Zahab		<i>Letters to the Editor</i>
F. Atamny, R. Schlögl, and A. Reller	1119	Chemical bonding and electrochemical reduction of fluorinated fullerene
	1121	The decagonal twinning in C ₆₀ crystals grown from n-hexane
	1123	Micromorphology of carbon black

P. Le Coustumer, K. Lafdi, and A. Oberlin	1127	Imaging of sizing upon carbon fibers
L. S. K. Pang, M. A. Wilson, G. H. Taylor, J. FitzGerald, and L. Brunckhorst	1130	Formation of unusual graphitic structures during fullerene production
J. Jehlička and J.-N. Rouzaud	1133	Glass-like carbon: New type of natural carbonaceous matter from precambrian rocks
M. Inagaki and M. Nakashjma	1135	Irreversible adsorption of carbon dioxide gas on an activated carbon
	1136	Carbon Calendar
	1137	Editorial Announcements
	I	Software Survey Section

VOLUME 30, NUMBER 8

1992

SPECIAL ISSUE:*Fullerenes**Contents*

H. Kroto	1139	Introduction
W. Krätschmer and D. R. Huffman	1143	Fullerites: New forms of crystalline carbon
R. F. Curl	1149	Pre-1990 evidence for the fullerene proposal
E. E. B. Campbell and I. V. Hertel	1157	Molecular beam studies of fullerenes
D. H. Parker, K. Chatterjee, P. Wurz, K. R. Lykke, M. J. Pellin, L. M. Stock, and J. C. Hemminger	1167	Fullerenes and giant fullerenes: Synthesis, separation, and mass spectrometric characterization
J. B. Howard, A. L. Lafleur, Y. Makarovsky, S. Mitra, C. J. Pope, and T. K. Yadav	1183	Fullerenes synthesis in combustion
G. A. Olah, I. Busci, R. Aniszfeld, and G. K. S. Prakash	1203	Chemical reactivity and functionalization of C ₆₀ and C ₇₀ fullerenes

- P. J. Fagan,**
B. Chase,
J. C. Calabrese,
D. A. Dixon,
R. Harlow,
P. J. Krusic,
N. Matsuzawa,
F. N. Tebbe,
D. L. Thorn, and
E. Wasserman
- L. J. Dunne,**
A. D. Clark,
M. F. D. Chaplin, and
H. Katbamna
- P. W. Fowler,**
D. E. Manolopoulos, and
R. P. Ryan
- H. Terrones and**
A. L. Mackay
- K. Holczer and**
R. L. Whetten
- K. Prassides,**
H. W. Kroto,
R. Taylor,
D. R. M. Walton,
W. I. F. David,
J. Tomkinson,
R. C. Haddon,
M. J. Rosseinsky, and
D. W. Murphy
- 1213 Some well characterized chemical reactivities of
buckminsterfullerene (C_{60})
- 1227 Electronic, magnetic, and structural properties of
amorphous carbons and the discovery of the fullerenes
- 1235 Isomerisations of the fullerenes
- 1251 The geometry of hypothetical curved graphite structures
- 1261 Superconducting and normal state properties of the A_3C_{60}
compounds
- 1277 Fullerenes and fullerides in the solid state: Neutron
scattering studies

